



**NORSEMAN**  
PROTECTIVE SOLUTIONS

*Fiercely Reliable™*

CONSTRUCTION

**OUT WORK.**  
**OUT PERFORM.**  
**OVER ACHIEVE.**

***JOBSITE PROTECTION GEAR***

*Fiercely Reliable™ since 1921*

**GEAR**  
PERFORM **2**



### FIERCELY RELIABLE<sup>TM</sup> SINCE 1921.

Norseman Protective Solutions is the largest manufacturer and supplier of industrial fabric, foam and film protective solutions in North America. We provide customers with sustainable and durable protective solutions designed to improve operating productivity in the most challenging conditions.

#### GEAR2PERFORM

We make high-performing protective gear for people, products and environments. Count on Norseman gear to help you accomplish what you've set out to do. Our gear falls into these categories:

- › Industrial Fabric Solutions
- › Foam Fabrication
- › Construction Gear
- › Portable Temporary Ducting
- › Containerized Shipping Solutions

#### OUR FIERCELY RELIABLE COMMITMENT

Norseman has strived to be a company that customers can rely on. Our design and manufacturing teams work alongside customers to understand their projects and working environments and to develop protective solutions that help our customers *outwork, outperform and overachieve*.

#### MANUFACTURING EXCELLENCE

Norseman operates over 100,000 square feet of quality-controlled manufacturing facilities across North America. We can meet tight delivery requirements and supply gear year-round.

#### FABRIC, FOAM AND FILM EXPERTISE

Our long-term relationships with suppliers across the globe allow us to source superior materials to manufacture our high-performing protective gear.


#### COAST-TO-COAST CUSTOMER ACCESS

Each of our branches and distribution locations has its own unique design capabilities, expertise in engineering and manufacturing, and staff with extensive knowledge of superior industrial fabrics, foams and films. This expertise is complemented by our sales and customer-support presence across Canada and the US, ensuring that every customer has direct access and support from our team.

We are Fiercely Reliable, working side by side with our suppliers, partners and customers for 100 years.

**1.800.268.1918**  
**NORSEMANSOLUTIONS.COM**

**GEAR<sup>2</sup>**  
**PERFORM**



## CONSTRUCTION

# JOBSITE PROTECTION GEAR

## TABLE OF CONTENTS:



**Insulated  
Blankets**

4-5



**Debris  
Netting**

6-7



**Scaffold  
Sheeting**

8-9



**Poly  
Construction  
Tarps**

10-11



**Interlocking  
Hoarding  
Tarps**

12-13



**Roll Stock**

14-15



**Snow  
Removal  
Tarp**

16-17



**Secondary  
Containment  
Berms**

18-21

# NORSEMAN'S JOBSITE GEAR **DURABLE RESILIENT PROTECTION.**



Norseman's gear allows work crews to outwork, outperform and overachieve, no matter what obstacles the elements present. Whether you need a quick, cost-effective hoarding alternative or a heavy-duty highly protective option, we offer a range of solutions designed to safeguard your people and your equipment and keep your project moving.



# INSULATED BLANKETS


## NORSEMAN’S INSULATED BLANKETS PROVIDE INCOMPARABLE PROTECTION FOR YOU AND YOUR CREW.

Trust Norseman’s Insulated Blankets to safeguard your jobsite and allow your team to continue outperforming.

Norseman’s Insulated Blankets provide uncompromising, relentless protection for your workers, keeping your jobsite a high-performance environment and allowing your crews to excel.

- Designed to withstand punishing conditions.
- Crafted meticulously to be lightweight and flexible while maintaining their superior insulation properties.
- Ideal for curing concrete, hoarding applications, and ground thaw.
- Polyethylene foam sewn edge to edge to prevent unwanted shifting of insulation.





Your team and your equipment are protected from the elements and have access to a comfortable worksite, allowing them to outwork, outperform and overachieve. **Norseman’s Insulated Blankets are GEAR2PERFORM.**



## GEAR POINTS:

Features specifically designed to ensure Norseman Gear outperforms on your next jobsite.



 <b>PROTECT</b>	Foam filled to the outer edges to prevent heat loss and double-stitched seams to stay intact.
 <b>WITHSTAND</b>	Designed to withstand punishing conditions.
 <b>RESIST</b>	Resists moisture, mildew and UV rays.
 <b>FIT</b>	Three standard nominal thicknesses with custom options available
 <b>DELIVER</b>	Insulated Blankets are lightweight and flexible, lie flat in sub zero temperatures and come folded and palletized for easy, economical shipping and storage. Semi-translucent packaging for visibility.



## GEAR INFORMATION:

CATEGORY	ITEM NUMBER	CUT SIZE	NOMINAL THICKNESS	GROMMET CONFIGURATION
CB3	403081FP-PE	6’ x 24’	3/16”	48” Grommet Spacing
CB3	402290FP-PE	12’ x 20’	3/16”	48” Grommet Spacing
CB3	402313FP-PE	12’ x 24’	3/16”	48” Grommet Spacing
CB4	410692FP-PE	6’ x 24’	3/8”	Corner Grommets
CB4	411585FP-PE	12’ x 24’	3/8”	Corner Grommets
CB6	458198FP	6’ x 24’	1/2”	Corner Grommets
CB6	458199FP	12’ x 24’	1/2”	Corner Grommets
CB8	412687FP	6’ x 24’	5/8”	Corner Grommets
CB8	412688FP	12’ x 24’	5/8”	Corner Grommets

\*Our most popular sizes are listed. Contact us for our full line-up of Insulated Blankets.

Call our Norseman Gear specialists with the item number to order.  
Accessories are available to customize Norseman Gear for your jobsite.

**1.800.268.1918**  
**NORSEMANSOLUTIONS.COM**



# DEBRIS NETTING


## WHEN YOU'RE WORKING AT A CONSTRUCTION SITE, WIND IS YOUR ENEMY.

Heavy wind bursts send debris and construction materials flying and take valuable time and energy away from your project. Workers can't perform the way you need them to when they're battling against wind. Your people need protection from the elements so their items stay exactly where they left them and don't become a hazard to the people working below.

Norseman's Debris Netting is built using knitted monofilament polyethylene material, with the edges reinforced for additional strength.

- High-strength Debris Netting lets in light and allows for air movement as it controls and contains dust.
- Essential when you need to keep the elements out and contain debris and items within your jobsite.
- Can be hung vertically or horizontally.
- Allows workers to continue to perform in severe weather, providing a safe and contained workspace that keeps everything where it needs to be, while stopping the elements from disrupting your project.

Your team and your equipment are protected from the elements and have access to a comfortable worksite, allowing them to outwork, outperform and overachieve. **Norseman's Debris Netting is GEAR2PERFORM.**




Manufactured using knitted monofilament polyethylene material.




## GEAR POINTS:

Features specifically designed to ensure Norseman Gear outperforms on your next jobsite.




 **PROTECT**


Protects your crew and jobsite from inclement weather while also protecting workers and the public from debris.

 **WITHSTAND**


Manufactured using polyethylene fabric to combine cost efficiency with extreme durability.

 **RESIST**


Flame and mildew resistant, and water repellant.

 **FIT**


Can be installed vertically or horizontally to maximize the coverage on your jobsite. Comes in blue, green, orange or black, depending on the size; custom colours are available on some orders.

 **DELIVER**

Allows for air movement on scaffolds, maintaining a safe and comfortable work environment.



Debris Netting Sample



## GEAR INFORMATION:

Available Colours:    

ITEM NUMBER	SIZE	COLOUR	FR TESTING
450921	4' x 165'	Orange 130gsm Polyethylene 40% Shade	NFPA 701
413733	6'6" x 165'	Black 130gsm Polyethylene 40% Shade	NFPA 701
413735	6'6" x 165'	Blue 130gsm Polyethylene 40% Shade	NFPA 701
409482	6'6" x 165'	Green 130gsm Polyethylene 40% Shade	NFPA 701
462217	6'6" x 165'	Orange 130gsm Polyethylene 40% Shade	NFPA 701
409481	10' x 165'	Green 130gsm Polyethylene 40% Shade	NFPA 701
411180	10' x 165'	Blue 130gsm Polyethylene 40% Shade	NFPA 701
462218	10' x 165'	Orange 130gsm Polyethylene 40% Shade	NFPA 701
450924	5'8" x 165'	Black 195gsm Polyethylene 90% Shade	NFPA 701

Call our Norseman Gear specialists with the item number to order. **1.800.268.1918**  
Accessories are available to customize Norseman Gear for your jobsite. **NORSEMAN SOLUTIONS.COM**



# SCAFFOLD SHEETING


## YOU NEED GEAR THAT CAN TACKLE AS MANY DIVERSE PROJECTS AS YOUR CREW CAN.

No matter what season you’re working in or what your construction project entails, it’s vital that you have Scaffold Sheeting that is lightweight, flexible and easy to handle.

Norseman’s Scaffold Sheeting is manufactured with scrim-reinforced polyethylene material for the outstanding jobsite protection you need for every season.

- Cost-effective enclosure solution that contains debris while protecting your people and your equipment from weather conditions.
- Highly durable and effective in all temperatures and weather conditions, including heavy winds, torrential rains or summer heat.
- Provides unmatched weather protection and debris containment while offering improved jobsite visibility.
- Keeps crews safe and comfortable, allowing them to excel at their tasks.
- Securely holds to your scaffold structure, even in extreme winds.

Your team and your equipment are protected from the elements and have access to a comfortable worksite, allowing them to outwork, outperform and overachieve. **Norseman’s Scaffold Sheeting is GEAR2PERFORM.**



Manufactured with scrim-reinforced polyethylene material.

## GEAR POINTS:

Features specifically designed to ensure Norseman Gear outperforms on your next jobsite.



### PROTECT

Protects your crew, your equipment and your jobsite from debris and weather conditions.



### WITHSTAND

Manufactured with scrim-reinforced polyethylene for enhanced durability and built with reinforced yellow strips for thicker anchoring points.



### RESIST

Resists water and mildew and passes flame-resistant (FR) testing to CAN/ULC-S109.



### DELIVER

Designed to be lightweight and flexible, Norseman’s Scaffold Sheeting has fastening indicator holes, making it easy to secure to scaffolding.



Scaffold Sheeting Sample



## GEAR INFORMATION:

ITEM NUMBER	SIZE	COLOUR	FR TESTING
408653	7'4" x 136'	White w/ 3 Reinforced Yellow Strips	CAN/ULC-S109
410343	14' x 100'	White w/ 5 Reinforced Yellow Strips	CAN/ULC-S109
ACCESSORIES			
408814	11"	Bungee Ties	
450611	96 mm x 55 m	9 Mil Polyethylene Anti-chafe White Tape Roll	

Call our Norseman Gear specialists with the item number to order. **1.800.268.1918**  
Accessories are available to customize Norseman Gear for your jobsite. **NORSEMANSOLUTIONS.COM**

# POLY CONSTRUCTION TARPS


## YOU CAN'T AFFORD DOWNTIME DUE TO FREEZING COLD, SCORCHING HEAT OR EXCESSIVE WINDS.

You need to protect your crews from the elements while ensuring they can continue their vital work. You need hoarding materials that are built to withstand rigorous use and extreme construction site conditions. You need to maximize productivity while minimizing costs and risks.

Norseman's Poly Construction Tarps are manufactured with woven coated polyethylene fabric, making them highly durable.

- Designed for visibility and allows sunlight transfer so your team can safely continue working.
- Maintains a consistent temperature, safeguarding your crews from excessive heat and bitter cold.
- Resists the elements and shields from environmental contaminants providing a secure work environment for crews.
- Offers crucial protection, ensuring that your workers excel and your project remains on schedule.

Your team and your equipment are protected from the elements and have access to a comfortable worksite, allowing them to outwork, outperform and overachieve. **Norseman's Poly Construction Tarps are GEAR2PERFORM.**








Manufactured with woven coated polyethylene fabric.

## GEAR POINTS:

Features specifically designed to ensure Norseman Gear outperforms on your next jobsite.



 <b>PROTECT</b>	Shields workers from the elements and from environmental contaminants.
 <b>WITHSTAND</b>	Manufactured with woven coated polyethylene fabric for extreme durability.
 <b>RESIST</b>	Resists water, mildew and UV rays.
 <b>FIT</b>	Available in sheets or rolls of various sizes, some with welded, rope-hemmed edges, installed ties, and grommets every 3 feet. Easy to install, minimizing downtime.
 <b>DELIVER</b>	Provides a cost-effective option to address hoarding challenges.



Poly Construction Tarp Sample



## GEAR INFORMATION:

ITEM NUMBER	CUT SIZE*	COLOUR	WEIGHT
386435	15' x 20'	Clear/Translucent - 36" Grommets and Ties Spacing	2.5 oz./yd²
400443	20' x 30'	Clear/Translucent - 36" Grommets and Ties Spacing	2.5 oz./yd²
401429	30' x 50'	Clear/Translucent - 36" Grommets and Ties Spacing	2.5 oz./yd²
386433	20' x 100'	Clear/Translucent - Bulk Roll, Unfinished	2.5 oz./yd²
402210	30' x 100'	Clear/Translucent - Bulk Roll, Unfinished	2.5 oz./yd²
386432	40' x 100'	Clear/Translucent - Bulk Roll, Unfinished	2.5 oz./yd²

\*Sizes are nominal.

Call our Norseman Gear specialists with the item number to order. Accessories are available to customize Norseman Gear for your jobsite.

**1.800.268.1918**  
**NORSEMANSOLUTIONS.COM**



# INTERLOCKING HOARDING TARPS

YOU NEED GEAR  
THAT IS DESIGNED  
TO LAST AND  
KEEPS YOUR CREW  
SHELTERED FROM  
THE ELEMENTS.

Your people work tirelessly, and you need advanced jobsite protection to ensure they remain safe and comfortable at your construction worksite. They deserve gear that protects them no matter how extreme the temperature or how nasty the weather.

Norseman’s Interlocking Hoarding Tarps combine sturdy material and innovative craftsmanship to provide rugged, reusable jobsite protection.

- Durable fabric allows use over multiple projects, saving you time and money while also reducing waste.
- Heavy-duty 18.0 oz. PVC fabric on interlocking flaps provides added protection from the elements compared to traditional sheet or roll fabric products.
- Aggressively reliable gear that will ensure your jobsite remains the high-performance arena that you need it to be.

Your team and your equipment are protected from the elements and have access to a comfortable worksite, allowing them to outwork, outperform and overachieve. Norseman’s Interlocking Hoarding Tarps are **GEAR2PERFORM**.



Sturdy 6.0 oz. polyethylene material with interlocking design.



## GEAR POINTS:

Features specifically designed to ensure Norseman Gear outperforms on your next jobsite.



### PROTECT

Innovative, four-sided interlocking design maximizes strength while heavier fabric offers extreme protection from the elements.



### WITHSTAND

Interlocking panels reinforce strength, preventing damage in high winds. Durable construction and material allows reuse, reducing jobsite waste and saving you money.



### RESIST

Resists flames and mildew and is water repellent.



### FIT

Interlocking tarps can be customized to fit your specific needs.



### DELIVER

A cable system allows movement of the tarps vertically between floors. Norseman’s Interlocking Hoarding Tarps deliver performance every time.



Interlocking Hoarding Tarp Sample



Tarp-to-Tarp Clip



Tarp-to-Cable Clip and Hitch Pin



PE Anti-chafe White Tape Roll

## GEAR INFORMATION:

ITEM NUMBER	SIZE	COLOUR	FR TESTING
408540	7' x 30'	White	CAN/ULC S-109
409835	10'2" x 30'	White	CAN/ULC S-109
ACCESSORIES			
407546	Tarp-to-Tarp Clip		
407540	Tarp-to-Cable Clip		
407547	Hitch Pin		
450611	96 mm x 55 m 9 Mil Polyethylene Anti-chafe White Tape Roll		

Call our Norseman Gear specialists with the item number to order.  
Accessories are available to customize Norseman Gear for your jobsite.

**1.800.268.1918**  
**NORSEMANSOLUTIONS.COM**



SOMETIMES YOU  
NEED JOBSITE  
PROTECTIVE GEAR  
THAT CAN DO IT ALL  
WITHOUT COSTING  
YOU A FORTUNE.

Containment. Protection. Security.

Norseman’s Roll Stock, made with fire retardant (FR) reinforced polyethylene, is a workhorse that covers many vital applications.

- Ideally suited for hoarding and scaffolding, general weather protection, construction enclosures and industrial sheeting.
- Combines extreme strength and flexibility to provide a lightweight, budget-friendly solution to your needs.
- Developed to work as hard as your crews do, while ensuring your jobsite is protected from the elements.
- Woven polyethylene offers exceptional durability, no matter what applications you use the Roll Stock for.

Your team and your equipment are protected from the elements and have access to a comfortable worksite, allowing them to outwork, outperform and overachieve. **Norseman’s Roll Stock is GEAR2PERFORM.**



Manufactured using woven polyethylene material.

GEAR POINTS: Features specifically designed to ensure Norseman Gear outperforms on your next jobsite.



-  **PROTECT**
- Made with woven polyethylene to protect your jobsite and contain debris.
-  **WITHSTAND**
- Combination of extreme strength and flexibility for a lightweight, budget-friendly solution to your needs.
-  **RESIST**
- Resists water and mildew and is coated on both sides with white FR material that passes FR testing.
-  **FIT**
- Kept on a bulk dispenser roll so it can be cut to the length required for your project.
-  **DELIVER**
- Whatever your jobsite protection needs for your construction project, Norseman’s Roll Stock has you covered. It provides outstanding general weather protection and debris containment and is ideal for scaffolding and hoarding.



Roll Stock Sample



GEAR INFORMATION:

ITEM NUMBER	SIZE	FABRIC WEIGHT	COLOUR	FR TESTING
408141	10’ x 600’	4.4 oz.	White/Translucent	CAN/ULC-S109
409434	10’5” x 500’	6.0 oz.	White/Translucent	CAN/ULC-S109
ACCESSORIES				
402314	11” Long	PVC Scaffold Wind Clip		

Call our Norseman Gear specialists with the item number to order. **1.800.268.1918**  
Accessories are available to customize Norseman Gear for your jobsite. **NORSEMANSOLUTIONS.COM**



# SNOW REMOVAL TARP

## REMOVE FRESHLY FALLEN SNOW FROM YOUR JOBSITE QUICKLY AND EFFICIENTLY.

Norseman’s Snow Removal Tarps are the premier snow removal tarps. Lay down the tarps before snowfall, then lift using the integrated lifting straps clearing away thousands of pounds of snow in mere minutes. This cost-effective tool saves companies both time and money.

Trust Norseman’s Snow Removal Tarp to safeguard your jobsite from snow and allow your team to continue outperforming.

- Clear up to 7,500 lbs. (3,400 kg) of unwanted fresh snow in minutes.
- Webbing extends through the center of the Snow Removal Tarp to distribute weight.
- Reinforced corners with sewn-in patches. Double zig-zag stitching provides extra durability and prevents tarp failures.
- Four loops or eight loops (depending on the size) sewn on the underside for ultra support when lifting.
- Woven PVC-coated polyester fabric with tear-resistant stitch design for the highest level of strength and lift capacity.

Your team and your equipment are protected from the elements and have access to a comfortable worksite, allowing them to outwork, outperform and overachieve.

Norseman’s Snow Removal Tarp is **GEAR2PERFORM**.



Woven PVC-coated polyester fabric



7,500 lb. (3,400 kg) lifting capacity



Reinforced patched corners



## GEAR POINTS:

Features specifically designed to ensure Norseman Gear outperforms on your next jobsite.



### PROTECT

Durable, woven PVC-coated polyester fabric with tear-resistant stitch design for the highest level of strength and lift capacity.



### SAVE TIME

Clear up to 7,500 lbs. (3,400 kg) of unwanted fresh snow in minutes.



### WITHSTAND

Zig-zag stitching on corners to prevent tarp failure, underside loop webbing for greatest support when lifting, and reinforced corners with patches and double stitching.



### RESIST

Tear resistant. Water resistant, UV and mildew resistant.



### DELIVER

Minimize snow-removal labor and delay costs while keeping the jobsite safe for workers and the site and equipment damage-free.

## ORDER DETAILS

Item Number: 460236 - 20' x 20' Snow Tarp, 4 Loop  
tem Number: 462134 - 25' x 25' Snow Tarp, 8 Loop

Call our Norseman Gear specialists with the item number to order.  
Accessories are available to customize Norseman Gear for your jobsite.

**1.800.268.1918**  
**NORSEMANSOLUTIONS.COM**



# PORTABLE SECONDARY CONTAINMENT BERMS

## PROTECT YOUR SITE FROM CONTAMINATION, LEAKS AND SPILLS.

Appropriate for smaller areas to keep your worksite safe, clean and within regulations by containing leaks and spills with an inexpensive, portable environmental safeguard.

Norseman's Portable Secondary Containment Berms are appropriate when secondary containment of wastewater, petroleum products and various chemicals are required. Place our Portable Secondary Containment Berms under valves, pails, barrels and small portable equipment such as heaters, generators and light stands for an inexpensive safeguard you can depend on.

- Tested welds help ensure maximum performance.
- Berm walls are 6" plank or 3" round enclosed foam that can be driven over and retain their shape.
- Available in four fabric options:
  1. Hyprene™ XC (yellow) – Best for water, oil and cold temperatures; rated to –67°F (–55°C).
  2. Hyprene™ CR (orange) – Best for chemicals, fuel and acids; rated to –13°F (–25°C).
  3. Hyprene™ ST (multiple colors) – Good for water and oil; rated to –49°F (–45°C).
  4. Hyprene™ XR-5 (black) – Best for chemicals, fuel and abrasion resistance; rated to –22°F (–30°C).
- Quick and easy setup.
- Compact and lightweight for easy transport and storage.
- Available in stock with Hyprene™ XC fabric and 6" foam-plank configuration in sizes from 2' x 2' to 6' x 8'.
- Custom fabric options and size configurations available to meet specific containment requirements.



## GEAR POINTS:

Features specifically designed to ensure Norseman Gear outperforms on your next jobsite.



### PROTECT

Prevent ground contamination from leaks and spills of hydrocarbons, chemicals or other potentially environmentally damaging materials.



### WITHSTAND

Multiple Hyprene™ fabric types are available to offer the right combination of protection and value for any project.



### RESIST

Water resistant, chemical resistant and hydrocarbon resistant.



### FIT

In-stock, ready-to-order products and custom configurations available.



### DELIVER

Compact and lightweight for easy transport and storage.



## GEAR INFORMATION:

PRODUCT	ITEM NUMBER	COLD CRACK	SIZE	WALL	AVAILABILITY
Hyprene™ XC	412236	–67°F (–55°C)	2' x 2'	6" Plank	In Stock
Hyprene™ XC	412239	–67°F (–55°C)	2' x 4'	6" Plank	In Stock
Hyprene™ XC	412240	–67°F (–55°C)	3' x 3'	6" Plank	In Stock
Hyprene™ XC	412241	–67°F (–55°C)	4' x 4'	6" Plank	In Stock
Hyprene™ XC	412242	–67°F (–55°C)	4' x 6'	6" Plank	In Stock
Hyprene™ XC	463063	–67°F (–55°C)	4' x 8'	6" Plank	In Stock
Hyprene™ XC	412243	–67°F (–55°C)	6' x 6'	6" Plank	In Stock
Hyprene™ XC	412244	–67°F (–55°C)	6' x 8'	6" Plank	In Stock

Norseman's Portable Secondary Containment Berms are **GEAR2PERFORM**.

To learn more about Norseman and our gear, contact one of your local Norseman gear specialists or visit our website.

**1.800.268.1918**  
**NORSEMANSOLUTIONS.COM**





# L-ROD SECONDARY CONTAINMENT BERM

## PROTECT YOUR SITE FROM CONTAMINATION, LEAKS AND SPILLS.

Appropriate for larger areas to keep your worksite safe, clean and within regulations by containing leaks and spills with an inexpensive, portable environmental safeguard.

Norseman’s L-Rod Secondary Containment Berms are appropriate when secondary containment of wastewater, petroleum products and various chemicals are required. Place our L-Rod Secondary Containment Berms under larger equipment and vehicles to protect the ground from leaks and spills. They can be used in multiple applications, such as on a worksite, under machinery or during a plant shutdown.

- Tested welds help ensure maximum performance.
- Berm walls are supported with 12” galvanized-metal L-shaped flat bar brackets.
- Available in four fabric options:
  1. Hyprene™ XC (yellow) – Best for water, oil and cold temperatures; rated to –67°F (–55°C).
  2. Hyprene™ CR (orange) – Best for chemicals, fuel and acids; rated to –13°F (–25°C).
  3. Hyprene™ ST (multiple colors) – Good for water and oil; rated to –49°F (–45°C).
  4. Hyprene™ XR-5 (black) – Best for chemicals, fuel and abrasion resistance; rated to –22°F (–30°C).
- Quick and easy setup.
- Collapsible for easy transport and compact storage.
- Available in stock with Hyprene™ XC fabric and 12” L-bracket configuration in sizes from 6’ x 10’ to 12’ x 16’.
- Custom fabric options and size configurations available to meet specific containment requirements.



## GEAR POINTS:

Features specifically designed to ensure Norseman Gear outperforms on your next jobsite.



### PROTECT

Prevent ground contamination from leaks and spills of hydrocarbons, chemicals or other potentially environmentally damaging materials.



### WITHSTAND

Multiple Hyprene™ fabric types are available to offer the right combination of protection and value for any project. Berms are supported with 12” metal L-shaped flat bar brackets.



### RESIST

Water resistant, chemical resistant and hydrocarbon resistant.



### FIT

In-stock, ready-to-order products and custom configurations available.



### DELIVER

Quick and easy setup; collapsible for easy transport and compact storage.



## GEAR INFORMATION:

PRODUCT	ITEM NUMBER	COLD CRACK	SIZE	WALL	AVAILABILITY
Hyprene™ XC	463064	–67°F (–55°C)	6’ x 10’	12” L-Bracket	In Stock
Hyprene™ XC	463065	–67°F (–55°C)	6’ x 12’	12” L-Bracket	In Stock
Hyprene™ XC	412246	–67°F (–55°C)	8’ x 8’	12” L-Bracket	In Stock
Hyprene™ XC	463066	–67°F (–55°C)	8’ x 10’	12” L-Bracket	In Stock
Hyprene™ XC	463067	–67°F (–55°C)	8’ x 12’	12” L-Bracket	In Stock
Hyprene™ XC	412247	–67°F (–55°C)	10’ x 10’	12” L-Bracket	In Stock
Hyprene™ XC	463068	–67°F (–55°C)	10’ x 12’	12” L-Bracket	In Stock
Hyprene™ XC	412248	–67°F (–55°C)	12’ x 12’	12” L-Bracket	In Stock
Hyprene™ XC	463069	–67°F (–55°C)	12’ x 16’	12” L-Bracket	In Stock

Norseman’s L-Rod Secondary Containment Berms are **GEAR2PERFORM**.

To learn more about Norseman and our gear, contact one of your local Norseman gear specialists or visit our website.

**1.800.268.1918**  
**NORSEMANSOLUTIONS.COM**





**NORSEMAN**  
PROTECTIVE SOLUTIONS

Fiercely Reliable™

CONSTRUCTION

*Fiercely Reliable*™ **FROM COAST TO COAST**



Manufacturing and  
Distribution Locations



Warehousing and  
Distribution Locations



**NORSEMAN, YOUR ONE-STOP SUPPLIER OF *GEAR2PERFORM*.**



**On-Demand Supply:** With warehousing space and distribution locations across North America, we can meet tight delivery requirements and supply gear year-round.



**Exceptional Service:** Our diverse line of protective gear and custom solutions makes us your one-stop supplier. Our Fiercely Reliable team will find a solution to fit your business.



**Superior Quality:** With a commitment to excellence, we ensure our gear performs to the highest standard in the most challenging conditions.



**Extensive Experience:** Since 1921 we have provided our customers with industry-leading industrial Fabric, Foam and Film protective solutions for many industries.

*For more information on Norseman protective gear,  
contact your local sales representative.*

**JOBSITE PROTECTION GEAR**

**GEAR**  
PERFORM **2**

**1.800.268.1918**

**NORSEMAN SOLUTIONS.COM**

