

DOCK STAIRS

KDS05



PRODUCT OVERVIEW



Our Kattsafe Dock Stairs provide a robust, corrosion-resistant access solution ideal for loading docks, elevated work areas, and industrial sites where safety and durability are a must.

Constructed from high-strength aluminum, these stairs resist rust and wear from outdoor exposure, ensuring reliable, long-term performance in demanding environments.

The modular design allows for flatpack shipping, cutting down on freight costs compared to traditional steel stairs.

With a quick-install T-bolt fastening system and adjustable leg supports for on-site customization, setup is efficient and hassle-free.

Backed by an industry-leading 5-year warranty, our Dock Stairs offer a dependable, cost-effective choice for safe access in a variety of industrial and commercial applications.

Features

- Made from high strength, corrosion-resistant aluminum
- T-bolt fastening method allows for a seamless, quick installation
- Pre-welded railing and pre-assembled stairs join together in the field with T-bolts - eliminating the need to weld or drill in the field
- Flatpack shipping allows for easier handling and higher cost savings on freight - unlike steel options
- Modular components allow for on-site adjustability
- Our market leading 5-year warranty outperforms typical 1-2 year steel warranties
- OSHA and IBC compliant
- Made in the USA

TECHNICAL SPECIFICATION

Material and dimensions

- K-80 extrusion: aluminum 3-1/8 x 1-1/2in (80 x 38mm)
- K-180 extrusion: aluminum 7-1/8in x 1-1/4in (180 x 32mm)
- Platform and support extrusion: K-60, 60mm extrusion
- Top rail: 2in extruded 6000 series aluminum profiled tube. 0.75lbs/ft
- Mid rail: 1-5/8in extruded 6000 series aluminum profiled tube. 0.40lbs/ft
- Post: 2-1/4 x 1-1/2 x 1/8in extruded 6000 series rectangular tube. 2.70lbs
- Surface: aluminum walkway grating. 1/2in (13mm) thick mesh
- T-Bolt: 3/8in stainless steel
- Hardware: all stainless steel
- End caps: plastic caps

Finish

All aluminum sections are supplied mill finish as standard. Custom colors are available.

Inspection and Maintenance

Inspection required every 12 months or after any incident by a competent person in accordance with manufacturer's specifications.

Compliance

Kattsafe Dock Stairs are designed to comply with OSHA and IBC compliance.

Product warranty

5 years from date of installation, subject to correct installation use and maintenance in accordance with manufacturer's specifications and recommendations.