



# Coastal + Impact Solutions

WINDOW + DOOR GUIDE





ULTIMATE  
BI-FOLD DOOR  
Painted White

## The Marvin Impact-Rated Product Portfolio

Choose from a broad selection of Ultimate and Elevate windows and doors available to meet impact performance requirements for your projects.

### MARVIN ULTIMATE™ COLLECTION



#### Endless Possibilities

Realize unique visions with endless design possibilities, each meticulously crafted.

#### INTERIORS

##### Wood

Six species options + custom, two painted or primed options, six stains + Clear Coat

#### EXTERIORS

##### Extruded Aluminum

19 colors + custom

##### Wood

Three species + custom

#### SIZING

Standard + custom sizing for replacement, remodeling, or new construction

#### HARDWARE

Extensive selection including Marvin Gallery Hardware

#### COASTAL + WATERFRONT

Hurricane Impact Zones 3 (IZ3) + Performance Grade 50 products (PG50)

### MARVIN ELEVATE® COLLECTION



#### Beauty Meets Durability

Find the most in-demand traditional window and door types with natural wood interiors and Ultrex® fiberglass exteriors.

#### INTERIORS

##### Wood

Bare Pine, painted Designer Black, painted White, or Clear Coat

#### EXTERIORS

##### Ultrex Fiberglass

Six color options

#### SIZING

Standard + custom sizing for replacement, remodeling, or new construction

#### HARDWARE

Available in six finish options with two door handle styles

#### COASTAL + WATERFRONT

Hurricane Impact Zone 3 (IZ3) + Performance Grade 50 products (PG50)



## Table of Contents

---

OVERVIEW	<b>06</b>	<b>Marvin Coastal + Impact Overview</b>
----------	-----------	---

---

ULTIMATE	<b>10</b>	<b>Introduction</b>
	12	Marvin Ultimate™ Windows + Doors
	14	Ultimate Options
	16	Ultimate Impact Specifications

---

ELEVATE	<b>18</b>	<b>Introduction</b>
	20	Marvin Elevate® Windows + Doors
	22	Elevate Options
	24	Elevate Impact Specifications

---

ULTIMATE AWNING, DIRECT GLAZE  
PICTURE, POLYGON WINDOWS, SLIDING  
PATIO, SWINGING FRENCH DOORS  
White

# Be Ready for the Harshest Conditions

Whether you're close to the shore or building inland, Marvin Ultimate™ and Marvin Elevate® windows and doors provide a wide range of impact-rated products to meet building codes, stand up to storms, and showcase your spaces with beauty and style. Reinforced construction, impact glass, and durable materials combine to safeguard homes without sacrificing aesthetics.

ELEVATE CASEMENT, AWNING WINDOWS,  
ULTIMATE INSWING FRENCH DOOR  
Stone White



## Soulful Lowcountry Shoreline

Inspired by architectural tradition and eclectic topography, the 2024 Southern Living Idea House fits naturally into the South Carolina shore. Learn more on the Marvin Inspiration blog.



[marvin.com/lowcountry](https://marvin.com/lowcountry)

## Built for Maximum Performance and Style

Eliminate the inconvenience of plywood sheets or storm shutters. Trust Marvin impact-rated products to stand up to the harshest conditions, including driving rain, wind, sun exposure, and powerful tropical weather.

**Our quality craftsmanship is backed by a 20/10-year limited warranty on glass, materials, and workmanship.**



### Durable Materials

- Marvin Ultimate™ products feature the highest industry-rated 18-gauge, aircraft-quality extruded aluminum
- Ultrex® fiberglass exteriors on Marvin Elevate® products are 8x stronger than vinyl and 3x stronger than the Fibrex® composite

### Exceptional Design

- Impact Zone 3 certified products are designed to meet and exceed stringent coastal codes
- The perfect aesthetic for remodels, luxury home builds, and light commercial projects
- Frame-to-frame mulling configurations are WDMA certified in most sizes

### Superior Finishes

- PVDF (polyvinylidene difluoride) finish that meets the highest AAMA 2605 requirements for Ultimate products
- Best-in-class AAMA 624 Ultrex finish on Elevate products is 3x thicker than competitive painted finishes
- Physical Vapor Deposition (PVD) hardware finishes resist fading and discoloration in coastal regions

### Enhanced Features + Options

- Products can be specified to meet sea turtle conservation codes, which help to reduce reflection that confuses sea turtle hatchlings
- Laminated and specialty glass options are available for hurricane zones and sound management
- Marvin impact-rated products do not require extra latches or special locking hardware reinforcements


## Preserving the Structural Integrity of Windows and Doors

Marvin impact products are rigorously tested to comply with coastal codes and withstand high wind, extreme pressure, and flying debris.



### Impact Zone 3 Ready

- Zone 3 meets International Building Codes for coastal areas in Atlantic and Gulf Coast states and is tested to withstand winds from 120mph to 140mph




Layered impact-resistant glass is designed to exceed certification criteria.

\* Interlayer dependent on size

### Comprehensive Testing

- To ensure maximum performance in the field, Marvin applies persistent pressure tests of 9,000 cycles to simulate hurricane-force winds
- Products are tested using an 8-foot-long, 2" x 4" stud launched at 50 feet per second to ensure they withstand impact to the center and corners



While the glass may shatter during testing, the unit maintains its structural integrity.

MARVIN  
ULTIMATE™  
COLLECTION

## Designed for Unique Visions

Marvin Ultimate windows and doors help unlock a stunning range of singular visions – from contemporary to historic. The result of relentless refinement, the Ultimate collection pushes the limits of what’s possible.

---

HANDCRAFTED BEAUTY

---

SUPERIOR PERFORMANCE

---

DESIGN FLEXIBILITY

---

ULTIMATE DIRECT GLAZE  
POLYGON WINDOWS  
Stained Wood



# Ultimate Windows + Doors

Marvin Ultimate™ windows and doors are premium products built to stand up to nature's toughest tests like flying debris, gale-force winds, driving rain, salt spray, and blazing sun. Explore their stunning craftsmanship, featuring warm wood interiors, numerous design options, precise detailing, and the durability of extruded aluminum exteriors.



fig. 1

fig. 1 **ULTIMATE DOUBLE HUNG, DIRECT GLAZE PICTURE WINDOWS**  
Pine, Custom Finish

fig. 2 **ULTIMATE INSWING FRENCH, SLIDING FRENCH DOORS**  
Stone White

## ULTIMATE IMPACT-RATED PRODUCTS




Casement Window




Inswing + Outswing French Door G2



Double Hung G2 Window



Sliding French Door G2



Picture Window



Multi-Slide Door



Awning Window



Bi-Fold Door



fig. 2

## FEATURES

Marvin is one of the few window and door manufacturers with high-quality extruded aluminum cladding as a standard

Finish coating meets AAMA 2605 for extruded aluminum – the industry's highest rating

Ultimate finishes are 20% thicker than finishes found in roll-form aluminum competitors

Aluminum cladding features an extremely durable fluoropolymer paint finish with 70% PVDF (polyvinylidene difluoride), offering outstanding resistance to humidity, color change, chalk, gloss loss, and chemicals

Suitable for Hurricane Impact Zone 3; PG50 products available

# Ultimate Options

## Interior Finish Options

Install your products the day they arrive with factory-applied interior finishes that eliminate the time, mess, and additional labor of painting and staining on site.

**WOOD SPECIES**

Pine	Vertical Grain Douglas Fir	Mixed Grain Douglas Fir	Cherry	White Oak	Honduran Mahogany

**STAIN**

Wheat	Honey	Hazelnut	Leather	Cabernet	Espresso

**PAINT**

Clear	Custom

**PAINT**

Designer Black	White	Primed White	Custom

## Exterior Finish Options

Our palette of 19 durable extruded aluminum colors includes a spectrum of rich hues and three pearlescent finishes. Wood exteriors, custom colors, and color matching are also available.

**EXTRUDED ALUMINUM FINISHES**

Stone White	Coconut Cream	Sierra White	Cashmere	Pebble Gray	Clay
Suede	Bronze	Bahama Brown	Cadet Gray	Gunmetal	Ebony
Evergreen	Hampton Sage	Wineberry	Cascade Blue	Custom	
Bright Silver Pearlescent	Copper Pearlescent	Liberty Bronze Pearlescent			

**WOOD SPECIES**

Pine	Vertical Grain Douglas Fir	Mahogany	Accoya® Exterior trim package only*

\* Accoya trim is a high-performance modified wood made from Radiata Pine that undergoes acetylation to minimize water absorption, resulting in exceptional stability and durability for exterior applications

## Hardware Options

Extensive selection of door hardware including Marvin® Gallery Hardware.\* For enhanced durability in harsh climates, some exterior hardware options are available with extra long-lasting PVD finishes.

**WINDOW HARDWARE OPTIONS**

Auto-Locking Hardware System	Traditional Lift Lock	Contemporary Lift Lock	Folding Handle	Folding Handle	Push-Out Handle

**DOOR HARDWARE OPTIONS**

Traditional	Contemporary	Minimalist	Harp	Vertical Pull	Exterior Flush Pull

**HARDWARE FINISHES**

White	Polished Chrome	Satin Chrome	Satin Nickel†	Satin Taupe
Brass	Antique Brass	Oil Rubbed Bronze†	Oil Rubbed Bronze	Dark Bronze
Matte Black				

## Sizing

Standard and custom-sized doors built to your exact specification.

## Design Flexibility

The highest level of design flexibility with the most extensive offering of options.

## Coastal + Waterfront

Marvin Ultimate™ doors are well suited for coastal or waterfront areas with special products and hardware specifically designed for hurricane zones.

\* For more options, visit [marvin.com](http://marvin.com)

† The Physical Vapor Deposition (PVD) process adds a layer of toughness to hardware exposed to environmental factors like direct sun and humidity. PVD finishes resist fading and discoloration, even in coastal areas. PVD has the highest grade corrosion-resistant finish.

# Ultimate Impact Window Specifications

## Marvin Ultimate™ Casement + Awning IMPACT ZONE 3

Product ¾" IG	Max Size	DP	Operation
UCA	CN3684	+65 / -65	LH, RH, STAT
UCA STAT/PICT	CN4854	+65 / -65	FIXED
UCA STAT/PICT	CN5448	+65 / -65	FIXED
UCAPO	CN3684	+65 / -65	LH, RH, STAT
UCART	CN3684	+65 / -65	LH, RH
UCART STAT/PICT	CN3684	+65 / -65	FIXED
UAWN	CN4854	+65 / -65	OPERABLE
UAWNPO	CN7236	+65 / -65	OPERABLE

Product 1" IG	Max Size	DP	Operation
UCA	CN3696	+65 / -65	LH, RH, STAT
UCA STAT/PICT F.S.	60" x 104-1½"	+60 / -60	FIXED
UCA STAT/PICT F.S.	104-1½" x 60"	+60 / -60	FIXED
UCA STAT/PICT F.S.	72" x 76-½"	+65 / -65	FIXED
UCA STAT/POLY F.S.	76-½" x 72"	+65 / -65	FIXED
UCAPO STAT/PICT F.S.	60" x 104-1½"	+60 / -60	FIXED
UCA STAT/POLY F.S.	72" x 76-½"	+65 / -65	FIXED
UCAPO STAT/PICT F.S.	104-1½" x 60"	+60 / -60	FIXED
UCAPO STAT/PICT F.S.	72" x 76-½"	+65 / -65	FIXED
UCAPO STAT/PICT F.S.	76-½" x 72"	+65 / -65	FIXED
UCART STAT/PICT	CN7278	+65 / -65	FIXED

## Ultimate Wood Casement + Awning IMPACT ZONE 3

Product ¾" IG	Max Size	DP	Operation
UWCA	CN3684	+65 / -65	LH, RH, STAT
UWCA STAT/PICT	CN4854	+65 / -65	FIXED
UWCA STAT/PICT	CN5448	+65 / -65	FIXED
UWCART	CN3684	+65 / -65	LH, RH
UWCART PICT	CN3684	+65 / -65	FIXED
UWAWN	CN4854	+65 / -65	OPERABLE

Product 1" IG	Max Size	DP	Operation
UWCA	CN3696	+65 / -65	LH, RH, STAT
UWCA STAT/PICT F.S.	60" x 105-¾"	+60 / -60	FIXED
UWCA STAT/PICT F.S.	105-¾" x 60"	+65 / -65	FIXED
UWCA STAT/PICT F.S.	72" x 77-¾"	+65 / -65	FIXED
UWCA STAT/PICT F.S.	77-¾" x 72"	+65 / -65	FIXED
UWCART PICT	72-¾" x 77-½"	+65 / -65	FIXED
UWCAPO STAT/PICT F.S.	72" x 77-¾"	+65 / -65	FIXED
UWCAPO STAT/PICT F.S.	60" x 105-¾"	+60 / -60	FIXED
UWCAPO STAT/PICT F.S.	77-¾" x 72"	+65 / -65	FIXED
UWCAPO STAT/PICT F.S.	105-¾" x 60"	+60 / -60	FIXED

## Ultimate Wood Direct Glaze IMPACT ZONE 3

Product	Max Frame Size	DP	Operation
UWDGRECT/POLY	73" x 73"	+55 / -65	FIXED
UWDGTR	73" x 73"	+55 / -65	FIXED

## Ultimate Double Hung G2 IMPACT ZONE 3

Product	Max Size	DP	Operation
UDHG2	CN4036	+65 / -65	DH, SH
UDHG2	CN4256	+65 / -65	DH, SH
UDHG2	CN4450	+65 / -65	DH, SH
UDHG2	CN4848	+65 / -65	DH, SH
UDHG2	42-¾" x 92-¾"	+65 / -65	DH, SH
UDHPG2 F.S.	61-¼" x 103-½"	+65 / -65	FIXED
UDHPG2 F.S.	67-¼" x 69-½"	+65 / -65	FIXED
UDHTRG2	CN6820	+65 / -65	FIXED

Cottage and reverse cottage available. Connect with Marvin support staff for more details.

## Ultimate Wood Double Hung IMPACT ZONE 3

Product	Max Size	DP	Operation
UWDH	CN3234	+55 / -65	DH, SH
UWDH	CN4026	+55 / -65	DH, SH
UWDHRT	CN3234	+55 / -65	DH, SH
UWDHP F.S.	60" x 106-15/16"	+55 / -65	FIXED

## Ultimate Direct Glaze IMPACT ZONE 3

Product	Max Frame Size	DP	Operation
UDG POLY/RECT/RT	73" x 73"	+55 / -65	FIXED
UDG POLY/RECT	60" x 120"	+55 / -65	FIXED
UDG POLY/RECT	120" x 60"	+55 / -65	FIXED
UDG POLY/RECT	84" x 86"	+55 / -65	FIXED
UDG POLY/RECT	86" x 84"	+55 / -65	FIXED
UDGRT	48" x 120"	+55 / -65	FIXED
UDGRT	120" x 48"	+55 / -65	FIXED
UDG RECT	63" x 114"	+50 / -60	FIXED
UDG RECT	66" x 108"	+50 / -60	FIXED
UDG RECT	69" x 102"	+50 / -60	FIXED
UDG RECT	75" x 96"	+50 / -60	FIXED
UDG RECT	78" x 90"	+50 / -60	FIXED
UDG RECT	90" x 78"	+50 / -60	FIXED
UDG RECT	96" x 75"	+50 / -60	FIXED
UDG RECT	102" x 69"	+50 / -60	FIXED
UDG RECT	114" x 63"	+50 / -60	FIXED
UDG RECT	108" x 66"	+50 / -60	FIXED

# Ultimate Impact Door Specifications

## Ultimate Swinging Narrow Profile Door – 2-¼" Panel IMPACT ZONE 3 (Outswing)

Product	Max Size	DP	Operation
UOD 2.25	CN3680	+65 / -65	O
UOD 2.25	CN3080	+65 / -65	O
UOD 2.25	CN6080	+65 / -65	XX
UOD 2.25 TR	CN8026	+65 / -65	FIXED

### IMPACT ZONE 3 (Inswing)

Product	Max Size	DP	Operation
UID 2.25	CN3680	+65 / -65	O
UID 2.25	CN6080	+65 / -65	XX
UID 2.25 TR	CN8026	+65 / -65	FIXED

## Ultimate Swinging French Door – 2-¼" Panel IMPACT ZONE 3 (Outswing)

Product	Max Size	DP	Operation
UOFD SL 2.25 G2	CN36100	+65 / -65	FIXED
UOFD 2.25 G2	CN36100	+65 / -65	O
UOFD 2.25 G2	CN3680	+65 / -65	O
UOFD SL 2.25 G2	CN3680	+65 / -65	FIXED
UOFD SL 2.25 G2	CN3080	+65 / -65	FIXED
UOFD 2.25 G2	CN7080	+65 / -65	XX
UOFD 2.25 G2	CN60100	+65 / -65	XX
UOFD 2.25 G2	CN6080	+65 / -65	XX
UOFD TR 2.25 G2	CN8026	+65 / -65	FIXED

### IMPACT ZONE 3 (Inswing)

Product	Max Size	DP	Operation
UIFD SL 2.25 G2	CN36100	+65 / -65	FIXED
UIFD SL 2.25 G2	CN3680	+65 / -65	FIXED
UIFD 2.25 G2	CN36100	+65 / -65	O
UIFD 2.25 G2	CN3680	+65 / -65	X
UIFD 2.25 G2	CN7080	+65 / -65	XX
UIFD 2.25 G2	CN60100	+65 / -65	XX
UIFD TR G2	CN8026	+65 / -65	FIXED

## Ultimate Bi-Fold Door

### IMPACT ZONE 3

Certification Rating: SP-PG50

Product	Max Size	DP
Maximum panels within door unit	6 in any operating configuration	+50 / -50
Maximum operating panel size	CN3680 or CN30100	+50 / -50
Maximum stationary panel size	CN36100	+50 / -50

## Sliding Narrow Profile Door – 2-¼" Panel IMPACT ZONE 3

Product	Max Size	DP	Operation
USD 2.25	CN8080	+65 / -65	OX, XO
USD 2.25	CN12080	+55 / -55	OXXO, OOX, XOO
USD 2.25	CN6080	+65 / -65	OX, XO

## Sliding French Door G2 – 2-¼" Panel IMPACT ZONE 3

Product	Max Size	DP	Operation
USFD 2.25 G2	CN10080	+65 / -65	OX, XO
USFD 2.25 G2	CN15080	+50 / -50	OXO
USFD 2.25 G2	CN16080	+50 / -65	OXXO, OOX, XOO
USFD 2.25 G2	CN160100	+50 / -50	OXXO, OOX, XOO
USFD 2.25 G2	CN12080	+65 / -65	OXXO, OOX, XOO

## Sliding French Door G2 – 1-¾" Panel IMPACT ZONE 3

Product	Max Size	DP	Operation
USFD 1.75 G2	CN8080	+55 / -65	OX, XO
USFD 1.75 G2	CN12080	+50 / -50	OXO, XOO, OOX
USFD 1.75 G2	CN16080	+50 / -50	OXXO

## Ultimate Multi-Slide Door

### IMPACT ZONE 3

Product	Max Size (ft.)	DP
<b>Bi-parting*</b> Stacked or Pocket with High Performance Sill	CN Heights above 8'0 to 10'0	+50 / -55
<b>Bi-parting*</b> Stacked or Pocket with High Performance Sill	CN3680 or CN30100	+55 / -65
<b>Uni-directional†</b> Stacked or Pocket with High Performance Sill	CN36100	+55 / -65

F.S. Frame Size  
\* Up to 10 panels and up to 4'0 panel width  
† Up to 6 panels and up to 4'0 panel width

MARVIN  
ELEVATE®  
COLLECTION

# The Perfect Balance of Beauty and Strength

Balancing beautiful design with superior strength, the Marvin Elevate collection delivers style in any climate. Elevate features warm wood interiors that can blend in or stand out with Ultrex® fiberglass exteriors for lasting durability. The collection offers a range of carefully selected features and options, making it as versatile as it is elegant.

LONG-LASTING STRENGTH + BEAUTY

DURABLE FINISHES

CURATED CHOICES

ELEVATE CASEMENT,  
DIRECT GLAZE WINDOWS  
Pine, Custom Finish



# Elevate Windows + Doors

Elevate IZ3 certified products are designed for the extreme conditions of coastal areas. Ultrex® fiberglass exteriors have an extremely low thermal expansion rate to resist cracking or warping and are 8x stronger than vinyl and 3x stronger than Fibrex.®



fig. 1

fig. 1 ELEVATE CASEMENT WINDOWS  
Pine, Custom Finish

fig. 2 ELEVATE SWINGING FRENCH DOOR  
Painted White


## ELEVATE IMPACT-RATED PRODUCTS



Casement Window




Swinging French Door



Double Hung Window



Sliding French Door



Picture Window



Awning Window



fig. 2

## FEATURES

Ultrex fiberglass expands at virtually the same rate as glass, making Marvin Elevate® products resistant to leaks, seal failures, and stress cracks

Best-in-class AAMA 624 Ultrex finish is 3x thicker than competitive painted finishes

The highly concentrated glass fibers in Ultrex fiberglass provide superior strength and an exceptionally smooth, durable finish

Grilles-Between-the-Glass (GBG) and Simulated Divided Lite (SDL) options available

Suitable for Hurricane Impact Zone 3; PG50 products available


# Elevate Options

## Interior Finish Options

The Marvin Elevate® collection features rich Pine interiors that can be stained to match your interiors, or finished in our factory with a clear coat, Painted Designer Black, or Painted White finish.

Factory finishing means you can expect consistent quality and aesthetics that come from our carefully perfected finishing process.

### WOOD FINISHES



**Bare Pine**  
Wood comes bare and ready to be painted or stained

**Clear Coat**  
Wood is finished in the factory with a clear coat

**Painted White**


**Painted Designer Black**

## Exterior Finish Options

Elevate windows and doors have a durable, strong Ultrex® fiberglass exterior, featuring our AAMA-verified acrylic finish for low maintenance and superior aesthetics.

Built for durability and minimal maintenance, our Ultrex finish is 3x thicker than competitive painted finishes, with a smooth consistency and evenly distributed finish that resists fading, chalking, peeling, and cracking, even in the darkest colors. Six colors are available in neutral and dark tones.

### ULTREX FIBERGLASS COLORS



**Stone White**

**Cashmere**

**Pebble Gray**

**Bronze**

**Gunmetal**

**Ebony**

## Hardware Options

Elevate windows and doors feature classic low-profile durable hardware for clean aesthetics, safety, and security. Choose a distinct interior and exterior handle finish that matches or complements the interior and exterior color of your door.

### HARDWARE OPTIONS




**Sash Lock + Keeper**

**Folding Handle**

**Cambridge**

**Northfield**

### HARDWARE FINISHES



**Oil Rubbed Bronze\***

**Brass\***

**Satin Nickel\***

**Almond Frost**

**Matte Black**

**White**

## Sizing

Standard and custom-sized.

## Design Flexibility

Wide range of design options.

## Coastal + Waterfront

Marvin Elevate doors are well suited for coastal or waterfront areas with special products and hardware specifically designed for hurricane zones.

\* The Physical Vapor Deposition (PVD) process adds a layer of toughness to hardware exposed to environmental factors like direct sun and humidity. PVD finishes resist fading and discoloration, even in coastal areas. PVD has the highest grade corrosion-resistant finish.

# Elevate Impact Window Specifications

## Marvin Elevate® Casement + Awning IMPACT ZONE 3

Product	Max Size	DP	Operation
ELCA	CN3771	+55 / -65	OPERABLE
ELCAP	CN5771	+55 / -65	FIXED
ELCAP	CN7355	+55 / -65	FIXED
ELCA Tr	CN7319	+55 / -65	OPERABLE
ELAWN	CN4947	+55 / -65	OPERABLE
ELAWN	CN4947	+55 / -65	FIXED
ELDGRT	CN25-3W	+55 / -65	FIXED RT1
ELDGRT	CN7359	+55 / -65	FIXED RT2
ELDGRT	CN7369	+55 / -65	FIXED RT6
ELDGRT	CN7236	+55 / -65	FIXED RT7/RT8

## Elevate Direct Glaze IMPACT ZONE 3

Product	Max Size	DP	Operation
ELDG RECT	72-½" x 95-½"	+55 / -65	FIXED
ELDH	96" x 72"	+55 / -65	FIXED

## Elevate Double Hung IMPACT ZONE 3

Product	Max Size	DP	Operation
ELDH	CN3876	+55 / -65	OPERABLE
ELDH	CN4268	+55 / -65	OPERABLE
ELDHP	CN5476	+55 / -65	FIXED
ELDHP	CN6264	+55 / -65	FIXED
ELDH (Cottage)	CN4268	+55 / -65	OPERABLE
ELDH (Rev. Cottage)	CN4268	+55 / -65	OPERABLE
ELDHTr	CN6224	+55 / -65	OPERABLE
ELDGRT	CN38-2W	+55 / -65	FIXED RT1
ELDGRT	CN7259	+55 / -65	FIXED RT2
ELDGRT	CN8249	+55 / -65	FIXED RT6
ELDGRT	CN36-1W	+55 / -65	FIXED RT7/RT8
ELDGRT	CN3636	+55 / -65	FIXED RT27

# Elevate Impact Door Specifications

## Elevate Swinging French Door IMPACT ZONE 3 (INSWING)

Product	Max Size	DP	Operation
ELIFD	CN3080	+55 / -65	O/X
ELIFD	CN6080	+55 / -65	OX/XO/XX
ELDGRT	CN7236	+55 / -65	RT1

## IMPACT ZONE 3 (OUTSWING)

Product	Max Size	DP	Operation
ELOFD	CN3080	+55 / -65	O/X
ELOFD	CN6080	+55 / -65	XX
ELDGRT	CN7236	+55 / -65	RT1

## Elevate Sliding French Door IMPACT ZONE 3

Product	Max Size	DP	Operation
ELSFD	CN8080	+55 / -65	OX/XO
ELDGRT	CN7236	+55 / -65	RT1



MARVIN ULTIMATE™  
AWNING, CASEMENT  
PICTURE WINDOWS  
Ebony



Since 1912, Marvin has been a family-owned and -led company, with a legacy of innovation and commitment to the highest quality. We understand the unique opportunity windows and doors have to improve our spaces and how we feel in them. That's why we never stop pushing what's possible and inventing new solutions to channel fresh air, enhance light quality, and connect with the world around us.

**MARVIN.COM**

© 2026 Marvin Lumber and Cedar Co., LLC. All rights reserved.  
® Registered trademark of Marvin Lumber and Cedar Co., LLC.  
FibreX® is a registered trademark of Andersen Corporation  
SentryGlas® is a registered trademark of Kuraray America, Inc.  
© Accsys 2025. Accsys & Accsys Technologies are trading names of Titan Wood Limited. Accsys® Accoya®, Tricoya® and the Trimarque Device are registered trademarks owned by Titan Wood Limited and may not be used or reproduced without written permission.  
Part 19983729. March 2026.

Cover Image: Marvin Ultimate™ Double Hung window

Colors shown in printed materials are simulations and may not precisely duplicate product or finish colors. Contact your local Marvin dealer to view actual product and finish color samples.